

COREtec®
FLOORS

the
essentials
collection

EN

SK - PL - RU - HU - CZ - LT



FROM ONE TRUE ORIGINAL TO ANOTHER, IT'S A FAMILY AFFAIR!

What's in your *core*?

The real values in life are those created and found within families; authenticity, trust and the opportunity given to be creative and express yourself. These same values drive our company and they define our corporate culture.

We saw an opportunity to create a better floor. We chased a dream and created a whole new category along the way. As the innovators of COREtec®, the Original, 100% waterproof floor, we did just that. Stylish, strong floors that sustain real family lives full of entertaining, kids and pets.

Click, lock, enjoy. It is as simple as that!

It all began as an entrepreneurial business in 2001, within our founder's heart and spare bedroom as our "headquarters". With the invention of COREtec®, the original, patented, 100% waterproof floor in 2013, we grew rapidly to become the leading brand of these unique and highly innovative products.

We launched our European division in 2016 and that same year were acquired and embraced into the family of Shaw Floors, an industry leader and subsidiary of Berkshire Hathaway, led by the world-renowned investor, Warren Buffett.

We've come a long way from where we started to where we are now. But those family values guide us still. Led by management and embraced by every employee, dealer, and partner, we are recognized as the problem-solvers, innovators and design enthusiasts. Today we offer an incredible range of resilient, durable floors that can be purchased, installed and lived upon in one single day. Click, lock, enjoy. It is as simple as that!

The most difficult task will be to choose from our wide variety of life-like decors. But don't worry, you are sure to find one to match your style because we have a floor for every personality.

Welcome to our family, we promise to remain authentic to the core.

Your COREtec® floor

always fits your style
& stands up to real life,
it's engineered for simplicity.



Always fits your style

We have a passion for providing a wide selection of authentic natural looks, so you can express what makes you, you. Persistent in product innovation – including micro-beveled edges, enhanced painted bevels & Embossed in Register technology – we create the most appealing designs & textures available.



Stands up to real life

Our floors are 100% waterproof, kid proof & pet proof. Try them in your kitchen or bathroom: they won't warp or buckle, even if submerged in water.

Our 100% waterproof core, resilient vinyl and protective wear layer will keep your floor looking good for the life of your home. So naturally, all COREtec® floors come with a limited lifetime residential warranty.



Is engineered for simplicity

COREtec® is easy to install, to care for and to live with. Its secure angle tap system doesn't require any glue or nails and can be installed over existing floors without additional underlayment.

Forget about sanding, polishing, sealing or refinishing: our floors are maintenance-free.



Ocala Walnut 54 - 50 LVRE 2054



There's a million reasons
to choose COREtec®,
but here's our top 6.

Our floors:

- ✓ Are extremely stable
- ✓ Reduce noise
- ✓ Are wear resistant
- ✓ Do not need to acclimatise
- ✓ Are suitable for underfloor heating & cooling
- ✓ Install on any surface



Cork

The natural choice

All our floors have a unique attached cork underlayment. Why? It's warmer, quieter and easily installs over existing hard surfaces, perfectly concealing imperfections in subfloors. And: it's one of the most sustainable materials out there. Cork is harvested from the cork tree and can be re-harvested every decade without damaging the tree.

A natural solution that brings only benefits to your home or business:



Added sound insulation



A comfortable and warmer floor



A natural protection against mold and mildew



No need for separate underlayment



Absorbs subfloor imperfections



COREtec® floors are
that good, somebody else
can re- *enjoy* it.

At COREtec® Floors, we attach great importance to sustainability. Recycling our multilayer, multicomponent material has a high energy cost, which means that a circular solution with re-use of the flooring is more appropriate. That's why we come up with an environmentally friendly solution: to set up Second Life floors, based on infinite re-use, an approach which is unique in our sector.

As the architects of multilayer waterproof rigid flooring, we are the first manufacturers to set up a take-back service, giving used flooring a new lease of life. These Second Life floors will initially be offered to charitable bodies and youth organisations. Our new service also has a societal dimension, as the business we call on to clean the used flooring employs people with complex barriers to work. They will use specially developed ecologically friendly COREtec® products to clean the dismantled flooring, making the old flooring look as good as new.


Thanks to Second Life, your old floor gets a real second chance.
And therefore you also contribute to a more sustainable world!



SOUND CORE[®] 8mm

Silent & strong, down to the *core*

At COREtec[®], we're proud to offer the most complete collection of 100% waterproof floors, so you can express what makes you, you.



100% waterproof



Extremely stable



No acclimatisation necessary



Easy to install



Installation on any surface



Reduces noise



Wear resistant



Pet proof



Electrostatic performance



Ideal for underfloor heating & cooling

The charm of *nature*

With nature as our main source of inspiration, we succeeded in creating a floor that captures the essence of your home. Whether you prefer soft earth tones or warm darker colours, our wide selection of authentic looks provides the perfect solution for every interior. Make a strong statement by relying on nature.

The new COREtec® Essentials collection comes with inviting designs, natural textures and a touch of class.



Baltimore Oak 66 - 50 LVRE 1266

has never been so *strong*




Painted Oak 99 - 50 LVPE 1399

the
essentials
collection

A wide range of *designs*
matching your interior

the
essentials
collection



The embossing follows the structure of the wood for a real-life touch.

The charm of *nature* has never been so *strong*

1800 SERIES


1830 x 228 x 8,1 mm
1830 x 228 x 8 mm
1830 x 180 x 8,5 mm

Minnesota Ash O3 - 50 LVPE 2103



FREMONT OAK 82

50 LVRE 2282
1830 x 228 x 8 mm



FREMONT OAK 93

50 LVRE 2293
1830 x 228 x 8 mm





MUNSTER OAK 88

50 LVRE 2388

1830 x 228 x 8 mm



MUNSTER OAK 53

50 LVRE 2353

1830 x 228 x 8 mm





GREYSTONE CONTEMPO OAK 34

50 LVRE 634

1830 x 180 x 8,50 mm



TIMBERLAND RUSTIC PINE 41

50 LVRE 641

1830 x 180 x 8,50 mm





BALTIMORE
OAK 95
50 LVRE 1295
1830 x 180 x 8,50 mm



BALTIMORE
OAK 77
50 LVRE 1277
1830 x 180 x 8,50 mm



BALTIMORE
OAK 66
50 LVRE 1266
1830 x 180 x 8,50 mm



BALTIMORE
OAK 84
50 LVRE 1284
1830 x 180 x 8,50 mm





MINNESOTA ASH O3
50 LVPE 2103
1830 x 228 x 8 mm



DOBRA OAK 51
50 LVPE 951
1830 x 228 x 8 mm



TASMAN OAK 50
50 LVPE 950
1830 x 228 x 8 mm





WARWICK OAK 53

50 LVPE 953


1830 x 228 x 8 mm



ELLIS OAK 54

50 LVPE 954

1830 x 228 x 8 mm



UNITY OAK 57

50 LVPE 957

1830 x 228 x 8 mm





ALEXANDRIA OAK 14

50 LVP 614

1830 x 228 x 8,10 mm



HIGHLANDS OAK 15

50 LVP 615

1830 x 228 x 8,10 mm

The charm of *nature* has never been so *strong*



1500 SERIES

1500 x 228 x 8,5 mm
1500 x 180 x 8,5 mm

Waterton Lakes Oak O4 - 50 LVR 9604



OCALA WALNUT 54
50 LVRE 2054
1500 x 228 x 8,50 mm



OCALA WALNUT 87
50 LVRE 2087
1500 x 228 x 8,50 mm



OCALA WALNUT 68
50 LVRE 2068
1500 x 228 x 8,50 mm





CLEVELAND OAK 86
50 LVRE 1486
1500 x 228 x 8,50 mm



JASPER OAK 01
50 LVR 9601
1500 x 180 x 8,50 mm



CLEVELAND OAK 52
50 LVRE 1452
1500 x 228 x 8,50 mm



**BOSTON OAK O3**

50 LVR 1903

1500 x 180 x 8,50 mm

**BOSTON OAK 92**

50 LVRE 1992

1500 x 228 x 8,50 mm

**BOSTON OAK 78**

50 LVR 1978

1500 x 180 x 8,50 mm





PORTLAND OAK 72
50 LVR 1872
1500 x 180 x 8,50 mm



GREAT NORTHERN OAK O5
50 LVR 9605
1500 x 180 x 8,50 mm



WATERTON LAKES OAK O4
50 LVR 9604
1500 x 180 x 8,50 mm





SPARWOOD OAK O6
50 LVR 9606
1500 x 180 x 8,50 mm



WIND RIVER OAK O6
50 LVR 8606
1500 x 180 x 8,50 mm



The charm of *nature* has never been so *strong*



1200
SERIES

1220 x 180 x 8 mm
1220 x 182 x 8 mm

leston Oak 72 - 50 LVP 1172



RUSTLED OAK 50
50 LVPE 750
1220 x 180 x 8 mm



ENCHANTED OAK 51
50 LVPE 751
1220 x 180 x 8 mm





PAINTED OAK O2

50 LVPE 1302

1220 x 180 x 8 mm



PAINTED OAK 99

50 LVPE 1399

1220 x 180 x 8 mm





CLEVELAND OAK 62
50 LVPE 1462
1220 x 180 x 8 mm



CLEVELAND OAK 94
50 LVPE 1494
1220 x 180 x 8 mm





CHARLESTON OAK 53

50 LVP 1153


1220 x 180 x 8 mm



CHARLESTON OAK 72

50 LVP 1172

1220 x 180 x 8 mm



CHARLESTON OAK 78

50 LVP 1178

1220 x 180 x 8 mm



BALTIMORE OAK 54
50 LVP 1254
1220 x 180 x 8 mm



BLACKSTONE OAK 07
50 LVP 707
1220 x 180 x 8 mm

MULTICOLOUR EFFECT



FALLEN OAK 52
50 LVP 752
1220 x 180 x 8 mm





IVORY COAST OAK O5
50 LVP 705
1220 x 180 x 8 mm




NANTUCKET OAK 11
50 LVP 211
1220 x 180 x 8 mm



The charm of *nature* has never been so *strong*

Create
your own style



Texas Oak M54 - 50 LVREM 2454

MULTI SERIES

1 box contains planks in following dimensions:

1830 x 228 x 8 mm	1220 x 126 x 8 mm
1830 x 181 x 8 mm	610 x 126 x 8 mm





TEXAS OAK M54

50 LVREM 2454

610 x 126 x 8 mm 1830 x 181 x 8 mm
1220 x 126 x 8 mm 1830 x 228 x 8 mm



TEXAS OAK M71

50 LVREM 2471

610 x 126 x 8 mm
1830 x 181 x 8 mm
1220 x 126 x 8 mm
1830 x 228 x 8 mm



TEXAS OAK M86

50 LVREM 2486


610 x 126 x 8 mm
1830 x 181 x 8 mm
1220 x 126 x 8 mm
1830 x 228 x 8 mm




The charm of *nature* has never been so *strong*



Mix &
match
your own style



Texas Oak H54 - 50 LVRH 2454



HERRINGBONE SERIES

912 x 228 x 8 mm



TEXAS OAK H86
50 LVRH 2486
912 x 228 x 8 mm



TEXAS OAK H71
50 LVRH 2471
912 x 228 x 8 mm



TEXAS OAK H54
50 LVRH 2454
912 x 228 x 8 mm



The charm of *nature* has never been so *strong*


TILE
SERIES

610 x 457 x 8 mm
610 x 470 x 8 mm
1205 x 302 x 8 mm

Polished Concrete 95 - 50 LVT 1695



RABAT 90
50 LVT 1790
1205 x 302 x 8 mm



RABAT 94
50 LVT 1794
1205 x 302 x 8 mm





LYRA 57
50 LVTE 1857
610 x 457 x 8 mm



AQUILA 50
50 LVTE 1850
610 x 457 x 8 mm



MENSA 58
50 LVTE 1858
610 x 457 x 8 mm






COLUMBA 53
50 LVTE 1853
610 x 457 x 8 mm



VELA 54
50 LVTE 1854
610 x 457 x 8 mm




COSMIC COPPER 67
50 LVT 1567
610 x 470 x 8 mm



POLISHED CONCRETE 95

50 LVT 1695

610 x 470 x 8 mm



WEATHERED CONCRETE 03


50 LVT 1803

610 x 470 x 8 mm

Accessories


Paintable skirtings

Our paintable skirtings are 100% waterproof & shock resistant.



Matching design accessories

Our design accessories match the design of your floor & are also 100% waterproof & shock resistant.




Installation

Easy to install

COREtec® floors have the easiest install on the market.


Follow the steps or watch our installation video on our website. www.coretecfloors.com or use the following QR code:



Maintenance

The COREtec® Clean, quick & green kit:

- Daily cleaner
- Deep cleaner
- Stain remover



Technical specifications

LEVEL OF USE
Úroveň použitia / Klasa ścieralności /
Класс использования / Európai besorolás /
Úroveň použití / Atsparumo klasė
Class 23 / 33 (EN ISO 10874)

GEOMETRICAL ACTERISTICS
Geometrické parametre / akterystyka Geometryczna /
геометрические
характеристики / Geometriai jellemző /
Rozměry / Geometrinės savybės
Conform (EN 17539)

WEAR RESISTANCE
Odolnosť voči opotrebeniu / Wytrzymałość
na zużycie / износостойкость / Korásállóság /
Odolnost proti opotřebení / Atsparumas dilimui
Pass 5 000 cycles (ISO 24338)

CASTOR CHAIR RESISTANCE
Odolnosť voči kolieskam na stoličke /
Odporność na krzesła obrotowe z kółkami /
Стойкость к креслам с роликами /
Görgös székek teszt / Odolnost vůči kolečkovým
židlým / Atsparumas kėdžių ratukams
Pass 25 000 cycles (ISO 4918)

EFFECT OF FURNITURE LEG
Efekt z nôh nábytku / Wpływ nogi meblowej /
воздействие мебельных ножек / Bútorlábhatás /
Vliv nábytkové nožky / Baldų poveikis
No visible change (EN 16581)

RESIDUAL IDENTATION
Trvalá deformácia / Pozostałe wgniecenie /
остаточные вмятины / Megmaradó
benyomódás / Trvalá deformace / Likęs įdubimas
≤ 0.10 mm (EN ISO 24343-1)

RESISTANCE TO STAINING
Odolnosť voči napúšťaniu farbou /
Odporność na barwienie / устойчивость к
пятнообразованию / Foltállóság / Odolnost proti
vzniku skvrn / Atsparumas dėmėms
5 (no visible change) (EN 438-2)

LOCKING STRENGTH
Pevnosť pripojenia / Wytrzymałość blokowania /
прочность крепления / Záróerő / Pevnost zajištění /
Blokavimo jėga
LS ≥ 2.0 / SS ≥ 3.5 (EN 24334)

DIMENSIONAL STABILITY
Rozmerová stabilita / Stabilność wymiarowa /
Стабильность размеров / Méretstabilitás /
Rozměrová stabilita / Matmenų stabilumas
Pass ≤ 0.25% (EN ISO 23999)

COLOUR FASTNESS TO LIGHT
Stálosť farby na svetle / Odporność koloru
na światło / устойчивость окраски к свету /
színtartósság / Stalobarevnost na světle / Spalvų
atsparumas šviesa
> Grade 6 (ISO 105-B-02)

IMPACT SOUND REDUCTION
Akustická izolácia / Izolacja akustyczna /
Звукоизоляция / Hangszigetelés / Akustická izolace /
Garso slopinimas
ΔL_w = 20 dB (ISO 10140-3 / EN 717-2)
ΔL_{LIN} = 10 dB (ISO 10140-3 / EN 717-1)

FORMALDEHYDE EMISSION CLASS
Formaldehidová skupina / Emisja
formaldehydu / Класс эмиссии
формальдегида / Formaldehyd csoport /
Formaldehidová skupina / Formaldehyde group
E1 (EN 717-1)

FIRE CLASSIFICATION
Klasifikácia voči požiaru / klasyfikacja
ogniowa / класс огнестойкости / tűzállósági osztály /
Požární klasifikace / Degumo klasifikacija
B_{fl} – S1 (EN 13501)

SLIP RESISTANCE
Protišmykovosť / Śliskość / Стойкость к скольжению /
Csúszásmentes / Protiskluznost / Slidumo klasė
DS – R10 (EN 13893 – DIN 51130)

UNDERFLOOR HEATING
Podlahové vykurovanie / Ogrzewanie
podłogowe / Полы с подогревом / Padlófűtésre /
Podlahové vykurování / Šildomos grindys
Suitable

ELECTROSTATIC PERFORMANCE
Elektrostatické prevedenie / Akumulacja ładunków
elektrostatycznych / Электростатичность /
Elektromos feltöltődés / Elektrostatické
provedení / Antistatistikumas
≤ 5 kV (EN 1815)

THERMAL RESISTANCE
Tepelná odolnosť / Odporność cieplna /
термостойкость / Hőállóság / Teplovní odolnost /
Terminis atsparumas
0.066 m²-K/W (EN 12667)

Series	Name	SQ Number	Length (mm)	Width (mm)	Thickness (mm)				Pieces/ box	M² / box	± Weight box (kg)
1800+++	Fremont Oak 82	50 LVRE 2282	1830	228	8	●		●	6	2,50	21
	Fremont Oak 93	50 LVRE 2293	1830	228	8	●		●	6	2,50	21
	Munster Oak 53	50 LVRE 2353	1830	228	8	●		●	6	2,50	21
	Munster Oak 88	50 LVRE 2388	1830	228	8	●		●	6	2,50	21
1800++	Greystone Contempo Oak 34	50 LVRE 634	1830	180	8,50		●	●	6	1,97	18
	Timberland Rustic Pine 41	50 LVRE 641	1830	180	8,50		●	●	6	1,97	18
	Baltimore Oak 66	50 LVRE 1266	1830	180	8,50		●	●	6	1,97	18
	Baltimore Oak 84	50 LVRE 1284	1830	180	8,50		●	●	6	1,97	18
	Baltimore Oak 77	50 LVRE 1277	1830	180	8,50		●	●	6	1,97	18
	Baltimore Oak 95	50 LVRE 1295	1830	180	8,50		●	●	6	1,97	18
1800+	Dobra Oak 51	50 LVPE 951	1830	228	8		●		6	2,50	21
	Tasman Oak 50	50 LVPE 950	1830	228	8		●		6	2,50	21
	Ellis Oak 54	50 LVPE 954	1830	228	8		●		6	2,50	21
	Warwick Oak 53	50 LVPE 953	1830	228	8		●		6	2,50	21
	Unity Oak 57	50 LVPE 957	1830	228	8		●		6	2,50	21
	Minnesota Ash O3	50 LVPE 21O3	1830	228	8		●		6	2,50	21
1800	Alexandria Oak 14	50 LVP 614	1830	228	8,10				6	2,50	21
	Highlands Oak 15	50 LVP 615	1830	228	8,10				6	2,50	21
1500+	Boston Oak 92	50 LVRE 1992	1500	228	8,50	●		●	6	2,05	20
	Ocala Walnut 87	50 LVRE 2087	1500	228	8,50	●		●	6	2,05	20
	Ocala Walnut 54	50 LVRE 2054	1500	228	8,50	●		●	6	2,05	20
	Ocala Walnut 68	50 LVRE 2068	1500	228	8,50	●		●	6	2,05	20
	Cleveland Oak 86	50 LVRE 1486	1500	228	8,50	●		●	6	2,05	20
	Cleveland Oak 52	50 LVRE 1452	1500	228	8,50	●		●	6	2,05	20
1500	Jasper Oak O1	50 LVR 96O1	1500	180	8,50			●	6	1,62	15
	Great Northern Oak O5	50 LVR 96O5	1500	180	8,50			●	6	1,62	15
	Waterton Lakes Oak O4	50 LVR 96O4	1500	180	8,50			●	6	1,62	15
	Wind River Oak O6	50 LVR 86O6	1500	180	8,50			●	6	1,62	15
	Sparwood Oak O6	50 LVR 96O6	1500	180	8,50			●	6	1,62	15
	Portland Oak 72	50 LVR 1872	1500	180	8,50			●	6	1,62	15
	Boston Oak O3	50 LVR 19O3	1500	180	8,50			●	6	1,62	15
	Boston Oak 78	50 LVR 1978	1500	180	8,50			●	6	1,62	15
1200+	Rustled Oak 50	50 LVPE 750	1220	180	8		●		10	2,20	18
	Enchanted Oak 51	50 LVPE 751	1220	180	8		●		10	2,20	18
	Painted Oak O2	50 LVPE 13O2	1220	180	8		●		10	2,20	18
	Painted Oak 99	50 LVPE 1399	1220	180	8		●		10	2,20	18
	Cleveland Oak 62	50 LVPE 1462	1220	180	8		●		10	2,20	18
	Cleveland Oak 94	50 LVPE 1494	1220	180	8		●		10	2,20	18
1200	Ivory Coast Oak O5	50 LVP 7O5	1220	182	8				12	2,65	23
	Blackstone Oak O7	50 LVP 7O7	1220	182	8				12	2,65	23
	Nantucket Oak 11	50 LVP 211	1220	182	8				12	2,65	23
	Fallen Oak 52	50 LVP 752	1220	180	8				10	2,2	18
	Charleston Oak 72	50 LVP 1172	1220	182	8				12	2,65	23
	Charleston Oak 78	50 LVP 1178	1220	182	8				12	2,65	23
	Charleston Oak 53	50 LVP 1153	1220	182	8				12	2,65	23
	Baltimore Oak 54	50 LVP 1254	1220	182	8				12	2,65	23
HER-RING-BONE	Texas Oak H71	50 LVRH 2471	912	228	8			●	12	2,50	21
	Texas Oak H86	50 LVRH 2486	912	228	8			●	12	2,50	21
	Texas Oak H54	50 LVRH 2454	912	228	8			●	12	2,50	21
MULTI	Texas Oak M71	50 LVREM 2471	610	126	8	●		●	2	2,62	24
			1830	181	8				4		
			1220	126	8				2		
			1830	228	8				2		
	Texas Oak M86	50 LVREM 2486	610	126	8	●		●	2	2,62	24
			1830	181	8				4		
			1220	126	8				2		
			1830	228	8				2		
	Texas Oak M54	50 LVREM 2454	610	126	8	●		●	2	2,62	24
			1830	181	8				4		
			1220	126	8				2		
			1830	228	8				2		
			1205	302	8				6	2,18	19
	Rabat 90	50 LVT 1790	1205	302	8				6	2,18	19
Tile+	Aquila 50	50 LVTE 1850	610	457	8		●		8	2,23	19
	Lyra 57	50 LVTE 1857	610	457	8		●		8	2,23	19
	Columba 53	50 LVTE 1853	610	457	8		●		8	2,23	19
	Vela 54	50 LVTE 1854	610	457	8		●		8	2,23	19
	Mensa 58	50 LVTE 1858	610	457	8		●		8	2,23	19
Tile	Weathered Concrete O3	50 LVT 18O3	610	470	8				9	2,58	24
	Cosmic Copper 67	50 LVT 1567	610	470	8				9	2,58	24
	Polished Concrete 95	50 LVT 1695	610	470	8				9	2,58	24





LIFETIME
WARRANTY
RESIDENTIAL



10 YEAR
WARRANTY
COMMERCIAL



US PATENT
APPROVED
7,156,735




AgBB




LIFE FLOOR
COREtec QUALITY



GREENGUARD
PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL 2818
GOLD



CE





Warranty (Years): The warranty covers manufacturing defects and premature wear in the event of normal use.

Záruka (rok): Záruka sa vzťahuje na výrobné chyby a predčasné opotrebenie v prípade bežného používania.


Termin gwarancji (rok): Gwarancja obejmuje wadyfabryczne i przedwczesne zużycie w przypadku normalnego użytkowania.

Гарантия (лет): Гарантия покрывает производственные дефекты и преждевременный износ при нормальном использовании.

A garancia: gyártási hibákra és idő előtti elhasználódásra általános használatnál érvényes.

Záruka (rok): Záruka se vzťahuje na vady z výroby a predčasné opotřebení v případě běžného používání.

Garantija (Metai): Garantija taikoma gamybos trūkumams ir per greitam nusidėvimui eksploatauojant normaliomis sąlygomis



Souverainestraat 27 - 9770 Kruisem (Belgium)
info@usfloors.be · www.coretecfloors.com